

SELECT BIBLIOGRAPHY ON TISSUE CULTURE STUDIES OF IMPORTANT MEDICINAL PLANTS

Compiled by Naseer Ahmad

Research Scholar

Dept.of Botany, Rajeev Gandhi College, Bhopal (M.P.) INDIA

- Ahee J & Duhoux E (1994) Root culturing of *Faidherbia=Acacia albida* as a source of explants for shoot regeneration. Plant Cell Tiss. Org. Cult. 36: 219-225
- Ainsley PJ, Hammerschlag FA, Bertozzi T, Collins GG & Sedley M (2001) Regeneration of almond from immature seed cotyledons. Plant Cell Tiss. Org. Cult. 67: 221-226.
- Alia Aprana & Ahmad Naseer (2012) *Invitro* seed germination and shoot multiplication of *Pterocarpus marsupium Roxb.*, an important endangered mutipurpose forest tree. Researcher. 4(2): 20-24.
- Anand M & Bir SS (1984) Organogenetic differentiation in tissue cultures of *Dalbergia lanceolaria*. Curr. Sci. 53: 1305-1307.
- Anis M, Husain MK & Shahzad A (2005) *In vitro* plantlet regeneration of *Pteroarpus marsupium* Roxb., an endangered leguminous tree. Curr. Sci 88: 861-863.
- Anita K, Malgorzata K & Zurawicz E (2004) Comparison of suitability of RAPD and ISSR techniques for determination of strawberry relationship. Plant Cell Tiss. Org. Cult. 79: 189-193.
- Arrillaga I, Tobolski JJ & Merkle SA (1994) Advances in somatic embryogenesis and plant production of black locust (*Robinia pseudoacacia* L.). Plant Cell Rep. 13: 171-175.
- Babaoglu M & Yorgancilar M (2000) TDZ-specific plant regeneration in salad burnet. Plant Cell Tiss. Org. Cult. 440: 31-34.
- Badji S, Mairane Y, Ndiaye I, Merlin G, Danthu P, Neville P & Colonna JP (1993) *In vitro* propagation of gum arabic tree (*Acacia senegal* (L) Willd.) developing a rapid method for producing plants. Plant Cell Rep.12: 629-633.
- Bates S, Preece JE, Navarrette N, Van Sambeek JW & Gaffney GR (1992) Thidiazuron stimulates shoot organogenesis and somatic embryogenesis in white ash (*Fraxinus americana* L.). Plant Cell Tiss. Org. Cult. 31:21-30.
- Bajaj YPS (1989) Some Indian Ornamental Trees: *Cassia fistula* Linn., *Poinciana regia* (Boj.) and *Jacaranda acutifolia* auct. In: YPS Bajaj (eds) Biotechnology in Agriculture and Forestry, Vol 5, Trees II, Springer-Verlag, Berlin Heidelberg, pp 469-476.
- Bansal YK and Pandey P (1993) Micropropagation of *Sesbania aculeata* (Pers) by

adventitious organogenesis. Plant Cell Tiss. Org. Cult. 32: 351-355.

- Barghchi M (1987) Mass clonal propagation in vitro of *Robinia pseudoacacia*. (black locust) cv. 'Jaszkiseri'. Plant Sci. 53: 183-189.
- Beck SL, Dunlop R & van Staden J (1998a) Micropropagation of *Acacia mearnsii* from ex vitro material. Plant Growth Regul. 26: 143-148.
- Beck SL, Dunlop R & VanStaden J (1998b) Rejuvenation and micropropagation of adult *Acacia mearnsii* using coppice material. Plant Growth Regul. 26: 149-153.
- Beck SL, Dunlop R & Staden JV (2000) Meristem culture of *Acacia mearnsii*. Plant Growth Regul. 32: 49-58.
- Beena MR Martin KP, Kirti PB & Molly H (2003) Rapid *in vitro* propagation of medicinally important *Ceropegia anadelabrum*. Plant Cell Tiss. Org. Cult. 72(3): 285-289.
- Berger K & Schaffner W (1995) In vitro propagation of the leguminous tree *Swartzia madagascariensis*. Plant Cell Tissue Org. Cult. 40: 289-291.
- Bharal S & Rashid A (1979) Regeneration of plants from tissue cultures of the legume *Indigofera enneaphylla* Linn. Zeitschrift fur Pflanzenphysiologie. 92: 443-447.
- Bharal S & Rashid A (1981) Tissue culture of *Alhagi camelorum*- a legume of high regenerative capacity. Physiol. Plant. 53: 497-500.
- Bhatt ID & Dhar U (2000) Combined effect of cytokinins on multiple shoot production from cotyledonary node explants on *Bauhinia vahlii*. Plant Cell Tiss. Org. Cult. 62: 79-83

- Borhmer P, Meyer B & Jacobson HJ (1995) Thidiazuron induced high frequency of shoot induction and shoot regeneration in protoplast derived Pea callus. Plant Cell Rep. 15: 26-29.
- Caro LA, Polci PA, Lindstrom LI, Echinique CV & Hernandez LF (2002) Micropropagation of *Prosopis chilensis* (Mol.) stutz from young and mature plants. Biocell 26: 25-33.
- Chand S, Pattnaik S & Chand PK (2002) Adventitious shoot organogenesis and plant regeneration of cotyledons of *Dalbergia sissoo* Roxb. Plant Cell Tiss. Org. Cult. 68: 208-209.
- Chand S & Singh AJ (2001) Direct somatic embryogenesis from zygotic embryos of timber yielding leguminous tree, *Hardwickia binata* Roxb. Curr. Sci. 80: 882-887.
- Chand S & Singh AJ (2004) In vitro shoot regeneration from cotyledonary node explants of a multipurpose leguminous tree, *Pterocarpus marsupium*. In Vitro Cell. Dev. Biol.-Plant. 40 (5): 464-466.
- Chalupa V (1983) In vitro propagation of willows (*Salix* spp.), European mountain-ash (*Sorbus aucuparia* L.) and black locust (*Robinia pseudoacacia* L.). Biol. Plant. (Praha) 25: 305-307.
- Chalupa V (1988) Large-scale micropropagation of *Quercus robur* L. using adenine type cytokinins and thidiazuron to stimulate shoot proliferation. Biol. Plant (praha) 30: 414-421.
- Chaturvedi HC & Jain M (1994) Restoration of regeneration potentiality in prolonged culture of *Digitalis purpurea*. Plant Cell Tiss. Org. Cult. 38: 73-75.
- Cheong E & Pooler MR (2003) Micropropagation of Chinese redbud (*Cercis yunnanensis*) through axillary bud breaking and induction of adventitious shoots from leaf pieces. In Vitro Cell Dev. Biol.-plant. 39: 455-458.
- Chin EC, Senior ML, Shu H & Smith JC (1996) Maize simple repetitive Dna sequences: Abundance and allele variation. Genome 39: 866-873.
- Chisha-kasumu E, Price AH & Woodward S (2006) In Vitro shoot multiplication and rooting from seedling explants of *Pterocarpus angolensis* in Zambia. Southern African Forestry J. 208: 31-37.
- Cheepala SB, Sharma NC & Sahi SV (2004) Rapid in vitro regeneration of *Sesbania drummondii*. Biol. Plant. 48: 13-18.
- Cöçii S, Uranbay S, İpek A, Khawar KM, Sarikan AO, Kaya MD, Parmaksiz I & Özcan S (2004) Adventitious shoot regeneration and micropropagation in *Calendula officinalis* L. Biol. Plant. 48: 449-451.
- Chae WB, Choi GW & Chung IS (2004) Plant regeneration depending on explant type in *Chrysanthemum coronarium* L. J Plant Biotech. 6:253–258.
- Confalonieri M, Balestrazzi A, Bisoffi S & Carbonera D (2003) In vitro culture and genetic

engineering of *Populus* spp.: synergy for forest tree improvement. Plant Cell Tiss. Org. Cult. 72: 109-138.

- Dangi RD, Lagu MD, Choudhary LB, Ranjekar PK & Gupta VS (2004) Assessment of genetic diversity in *Trigonella foenum-groecum* and *Trigonella caerulea* using ISSR and RAPD markers. BMC Plant Biology 4:13-24.
- Das AB, Rout GR and Das P (1995) *In vitro* somatic embryogenesis from callus cultures of timber yielding tree *Hardwickia binata* Roxb. Plant Cell Rep. 15: 147-149.
- Das P, Samanataray S, Roberts AV & Rout GR (1997) *In vitro* somatic embryogenesis of *Dalbergia sissoo* Roxb. - a multipurpose timber-yielding tree. Plant Cell Rep. 16: 578-582.
- Datta SK, Datta K & Pramanik T (1983) *In vitro* clonal multiplication of mature trees of *Dalbergia sissoo* (Roxb.). Plant Cell Tiss. Org Cult. 2: 15-20.
- Datta SK & Datta K (1983) Auxin induced regeneration of forest trees - *Dalbergia sissoo* Roxb. through tissue culture. Curr. Sci. 52: 434-436.
- Datta K & Datta SK (1985) Auxin + KNO₃ induced regeneration of leguminous tree- *Leucaena leucocephala* through tissue culture. Curr. Sci. 54: 248-250.
- Davierwala AP, Chowdari KV, Shiv kumar, Reddy APK, Ranjekar PK & Gupta VS (2000) Use of three different marker systems to estimate genetic diversity of Indian elite rice varieties. Genetica 108: 269-284.
- Dawra S, Sharma DR & Chowdhury JB (1984) Clonal propagation of *Dalbergia sissoo* Roxb. through tissue culture. Curr. Sci. 53: 807-809.
- De BK & Bhattacharya DK (1999) Biodiesel from minor vegetable oils like karanja oil and nahor oil. Lipid-Fett. 101: 404-406.
- Detrez C, Ndiaye S & Dreyfus B (1994) *In vitro* regeneration of the tropical multipurpose leguminous tree *Sesbania grandiflora* from cotyledon explants. Plant Cell Rep. 14: 87-93.
- Dhar U & Upreti J (1999) *In vitro* regeneration of a mature leguminous liana (*Bauhinia vahlii* Wight & Arnott). Plant Cell Rep. 18: 664-669.
- Dhawan V & Bhojwani SS (1985) *In vitro* vegetative propagation of *Leucaena leucocephala* (Lam) de Wit. Plant Cell Rep. 4: 315-318.
- Douglas GC & Mcnamara J (2000) Shoot regeneration from seedling explants of *Acacia mangium* Willd. In Vitro Cell Dev. Biol. Plant 36: 412-415.
- Doyle JJ & Doyle JL (1987) A rapid DNA isolation procedure from small quantities of fresh leaf tissue. Phytochem Bull. 19: 11-15.
- Dunstan DT and Thorpe TA (1986) In: Vasil IK (eds) Cell Culture and Somatic Cell Genetics of Plant, Vol 3, Academic Press, New York. pp 223 – 241.

- Durand-resswell R, Boulay M, Franclet A (1982) Vegetative propagation of Eucalyptus. In: Bonga JM and Durzan DJ (eds) Tissue culture and Forestry. Martinus Nijhoff Publication, The Hague. Pp150-181.
- Faisal M, Ahmed N & Anis M (2005) Shoot multiplication of *Rauwolfia tetraphylla* L. using thidiazuron. Plant Cell Tiss. Org. Cult. 80:187-195.
- Faisal M & Anis M (2006) Thidiazuron induced high frequency axillary shoot multiplication in *Psorealea corylifolia*. Biol. Plant. 50:437-440.
- Fiola JA, Hassan MA, Swartz HJ, Bors RH & McNicols R (1990) Effect of thidiazuron light fluence rates and kanamycin on *in vitro* shoot organogenesis from excised *Rubus* cotyledon and leaves. Plant Cell Tiss. Org. Cult. 39: 371-387.
- Fracaro F & Echeverrigaray S (2001) Micropropagation of *Cunila galioides*, a popular medicinal plant of south Brazil. . Plant Cell Tiss. Org. Cult. 64: 1-4.
- Galande AA, Tiwari R, Ammiraju JSS, Santra DK, Lagu MD, Rao VS, Gupta VS, Misra BK, Nagarajan S & Ranjekar PK (2001) Genetic analysis of kernel hardness in bread wheat using PCR based markers. Theor. Appl. Genet. 103: 601-606.
- Gamborg OL, Miller RA & Ojima K (1968) Nutrient requirements for suspension cultures of soyabean root cells. Exp. Cell Res. 50:148-151.
- Garg L, Bhandari NN, Rani V & Bhojwani SS (1996) Somatic embryogenesis and regeneration of endosperm cultures of *Acacia nilotica*. Plant Cell Rep. 15: 855-858.
- Geneve RL & Kester ST (1990) The initiation of somatic embryos and adventitious roots from developing zygotic embryo explants of *Cercis canadensis* L. cultured in vitro. Plant Cell Tiss. Org. Cult. 22: 71-76.
- Gharyal PK & Maheshwari SC (1981) *In vitro* differentiation of somatic embryoids in a leguminous tree – *Albizzia lebbeck* L. Naturwissenschaften, 68: 379-380.
- Gharyal PK & Maheshwari SC (1982) Plantlet formation in tissue cultures of the sensitive plant *Mimosa pudica* L. Z. Pflanzenphysiol. 105: 179-182.
- Gharyal PK, Rashid A & Maheshwari SC (1983a) Production of haploid plantlets in anther cultures of *Albizzia lebbeck* L. Plant Cell Rep. 2: 308-309.

- Gharyal PK & Maheshwari SC (1990) Differentiation in explants from mature leguminous trees. *Plant Cell Rep.* 8: 550-553.
- Giri C, Shyamkumar B & Anjaneyulu C (2004) Progress in tissue culture, genetic transformation and applications of biotechnology to trees: an overview. *Trees* 18: 115-135.
- Goldberg RB, Barker SJ & Perez-Grau L (1989) Regulation of gene expression during plant embryogenesis. *Cell* 56: 149–160.
- Goyal Y, Bingham RC & Keller P (1985) Propagation of a tropical tree, *Leucaena leucocephala* K67 by *in vitro* bud culture. *Plant Cell Tiss. Org. Cult.* 4: 3-10.
- Goyal Y & Arya HC (1984) Tissue culture of desert trees: I. clonal multiplication of *Prosopis cineraria* by bud culture. *J. Plant Physiol.* 115: 182-189.
- Gronroos L, Kubat B, Von Arnold S & Eliasson L (1989) Cytokinin contents in shoot cultures of four *Salix* clones. *J. Plant Physiol.* 153:150-154.
- Gupta M, Chyi YS, Romero-Severson J and Owen JL (1994) Identification of red raspberry cultivars and assessment of their relatedness using fingerprints produced by random primers. *J. Hortic. Sci.* 69: 123-130.
- Gupta PK, Balyan HS, Sharma PC & Ramesh B (1996) Microsatellites in Plants: A new class of molecular markers. *Curr. Sci.* 70: 45-54.
- Hackett WP (1985) Juvenility, maturation and rejuvenation in woody plants. *Horti. Rev.* 7: 109-155.
- Haissig BE, Nelson ND & Kidd GH (1987) Trends in the use of tissue culture in forest improvement. *Biotechnol.* 5: 52-59.
- Hamrick JL, Godt MJW & Sherman-Broyles SL (1992) Factors influencing levels of genetic diversity in woody plant species. *New Forests* 6: 95-124.
- Han HK, Keathley DE & Gordon MP (1993) Regeneration of a transgenic woody legume (*Robinia pseudoacacia* L. black locust) and morphological alterations induced by *Agrobacterium rhizogenes*-mediated transformation. *Plant Cell Rep.* 12: 185-188.
- Hawkes JG, Maxted & Ford-Lloyd BV (2000) The *Ex situ* conservation of Plant Genetic Resources. Kluwer Academic Publishers, Netherlands pp 1-145.
- Hazra S, Kulkarni AV, Nalawade SM, Banerjee AK, Agrawal DC & Krishnamurthy KV (2000) Influence of the explants, genotypes and the culture vessels on sprouting and proliferation of pre-existing meristems of cotton (*G. hirsutum* L & *G. arboreum* L). *In Vitro Cell. Dev. Biol. Plant* 36: 505 – 510.
- Hohtola (1998) Seasonal changes in explant viability and contamination on tissue cultures from mature Scots pine. *Plant Cell Tiss. Org. Cult.* 15: 211-222.

- Hosseini-Nasr M & Rashid A (2002) Thidiazuron induced shoot bud formation on root segments of *Albizzia julibrissin* is an apex-controlled, light dependent and calcium mediated response. *Plant Growth Reg.* 36(1): 81-85.
- Huang FH, Jameel M Al-Khayri & Grur EDE (1994) Micropropagation of *Acacia mearnsii*. *In Vitro Cell. Dev. Biol. Plant.* 30: 70-74.
- Huang JC & sun M (2000) Genetic diversity and relationships of sweet potato and its wild relatives in *Ipomoea* series *Batatas* (Convolvulaceae) as revealed by inter simple sequence repeat (ISSR) and restriction analysis of chloroplast DNA. *Theor. Appl. Genet.* 100: 1050-1060.
- Huetteman CA and Preece JE (1993) Thidiazuron: a potent cytokinin for woody plant tissue culture. *Plant Cell Tissue Org. Cult.* 33: 105-119.
- Hughes DW & Galau GA (1989) Temporally modular gene expression during cotyledon development. *Genes Dev.* 3: 358–369.
- Igasaki T, Mohri T, Ichiwana H & Shinohara K (2000) *Agrobacterium tumefaciens*-mediated transformation of *Robinia pseudoacacia*. *Plant Cell Rep.* 19: 448-453.
- Isabel N, Tremblay L, Michaud M, Tremblay FM & Bousquet J (1993) RAPDs as an aid to evaluate the genetic integrity of somatic embryogenesis derived populations of *Picea marina* (Mill.) B.S.P. *Theor. Appl. Genet.* 86: 81-87.
- Jaime AT & Fukai S (2003) Chrysanthemum Organogenesis through thin cell layer technology and plant growth regulator control. *Asian J. Plant Sci.* 2: 505-514.
- Jain N & Babbar SB (2000) Recurrent production of plants of black plum, *Syzygium cumini* (L.) skeels, a myrtaceous fruit tree, from *in vitro* cultured seedling explants. *Plant cell Rep.* 19:519-524.
- Jaiwal PK & Gulati A (1991) *In vitro* high frequency plant regeneration of a tree legume *Tamarindus indica* (L.). *Plant Cell Rep.* 10: 569-573.
- Jaiwal PK and Gulati A (1992) Micropropagation of *Tamarindus indica* L. from shoot tip and nodal explants. *Natl. Acad. Sci. Lett.* 15: 63-67
- Jayakumar M & Jayabalan N (2002) *In vitro* plant regeneration from cotyledonary node of *Psoralea corylifolia*. *Plant Cell Tiss. Org. Cult.* 12(2): 125-129.
- Jones TC, Batchelor CA & Harris PJC (1990) *In vitro* culture and propagation of *Acacia* species (*A. bivenosa*, *A. salicina*, *A. saligna* and *A. sclerosperma*). *Intl. Tree Crops J.* 6: 183-192.
- Jordan M (1987) *In vitro* cultures of *Prosopis* species. In : Bonga JM and Durzan DJ (eds), *Forestry Sciences. Cell and Tissue Culture in Forestry. Vol. 3. Case histories: Gymnosperms,*

Angiosperms and Palms, Martinus Nijhoff Publishers, Dordrecht, pp 370-384.

- Jordan M, Cortes I, Montenegro G (1983) Regeneration of plantlets by embryogenesis from callus cultures of *Carica candamarcensis*. Plant Sci. Lett. 28: 321-326.
- Jordan M, Larrain M, Tapia A & Roveraro C (2001) In vitro regeneration of *Sophora toromiro* from seedling explants. Plant Cell Tiss. Org. Cult. 66: 89-95.
- Joshi SP, Ranjekar PK & Gupta VS (1999) Molecular markers in plant genome analysis. Curr. Sci. 77: 1-19.
- Joshi SP, Gupta VS, Aggarwal PK, Ranjekar PK & Brar DS (2000) Genetic diversity and phylogenetic relationship as revealed by inter simple sequence repeat (ISSR) polymorphism in the genus *Oryza*. Theor. Appl. Genet. 100: 1311-1320.
- Joshi MV, Sahasrabudhe & Hazra S (2003) Responses of Peanut somatic embryos to thidiazuron. Biol. Plant. 46: 187-192.
- Jusaitis M (1997) Micropropagation of adult *Swainsona formosa* (Leguminosae: papilionoideae: Galegeae) In vitro Cell Dev. Biol. Plant. 33: 213-220.
- Kackar NL, Vyas SC, Singh M & Solanki KR (1992) In vitro regeneration of *Prosopis cineraria* (L.) Druce using root as explant. Indian J. Exp. Biol. 30: 429- 430.
- Kapoor S & Gupta SC (1986) Rapid in vitro differentiation of *Sesbania bispinosa* plants- a leguminous shrub. Plant Cell Tiss. Org. Cult. 7: 263-268.
- Kaur K, Verma B & Kant U (1998) Plants obtained from the Khair tree (*Acacia catechu* Willd.) using mature nodal segments. Plant Cell Rep. 17: 427-429.
- Kaur K & Kant U (2000) Clonal propagation of *Acacia catechu*, Willd by shoot tip cultures. Plant Growth Reg. 31:143-145.
- Kaura SK, Gupta SK & Chowdhury JB (1998) Morphological and oil content variation in seeds of *Azadiracta indica* A. Juss. (Neem) from northern and western provenances of India. Plants food for Human nutrition 52: 293-298.
- Ket NV, Hahn EJ, Park SY, Chaborthy D & Paek KY (2004) Micropropagation of an endangered orchid *Anoectohilus formosanus*. Biol. Plant. 48: 339-344.
- Kermode AR (1990) Regulatory mechanisms involved in the transition from seed development to germination. Crit. Rev. Plant Sci. 9: 155-195.
- Khanuja SPS, Shasany AK, Darokar MP & Kumar S (1999) Rapid Isolation of DNA from Dry and fresh samples of plants producing large amounts of secondary metabolites and essential oils. Plant Mol. Biol. Rep. 17: 1-7.
- Khanuja SPS, Shasany AK, Srivastava & Sushil kumar (2000) Assessment of genetic relationships in *Mentha* species. Euphytica 111: 121-125.

- Khattar S & Mohan Ram HY (1983) Organogenesis and plantlet formation *in vitro* in *Sesbania grandiflora* (L.) Pers. Indian J. Exp. Biol. 21: 251-253.
- Kojoma M, Iida O, Makino Y, Sekita S & Satake M (2002) DNA fingerprinting of *Cannabis sativa* using inter simple sequence repeat amplification. Planta Medica 68: 60-63.
- Kopp MS & Nataraja K (1990) *In vitro* plantlet regeneration from shoot tip cultures of *Tamarindus indica* L. Ind. J. For. 13: 30-33.
- Kopp MS & Nataraja K (1992) Regeneration of plantlets from excised nodal segments of *Tamarindus indica* L. My forest 28: 231-234.
- Korzun V (1999) Molecular markers and their applications in cereals breeding. Marker assisted selection: A fast track to increase the genetic gain in plant and animal breeding. Plant Breeding 118: 369-390.
- Kulkarni DK, Gupta PK & Mascarenhas AF (1984) Tissue culture studies on *Leucaena leucocephala*. Leucaena Res. Rep. 5: 37-39.
- Kulothungan S (1997) *In Vitro* culture studies on cowpea (*Vigna unguiculata* (L.) Walp). Ph.D Thesis, Department of Biotechnology, Bhartidasan University, Thiruchirapalli, India.
- Kumar A, Tandon P & Sharma A (1991) Morphogenetic responses of cultured cells of cambial origin of a mature tree - *Dalbergia sissoo* Roxb. Plant Cell Rep. 9: 703-706.
- Kumar A (1992) Micropropagation of a leguminous tree *Bauhinia purpurea*. Plant Cell Tiss. Org. Cult. 31: 257-259.
- Kumar S, Sarkar AK & Kunhikannan C (1998) Regeneration of plants from leaflet explants of tissue culture raised safed siris (*Albizia procera*). Plant Cell Tiss. Org. Cult. 54: 137-143.

- Lakshmi Sita G (1999) Somatic embryogenesis in Rosewood and other Indian Tree Legumes. In: Jain S.M., Gupta P.K., Newton R.J (eds) Somatic embryogenesis in woody plants, Kluwer Academic Publishers, Great Britain Vol. 5. pp 95-112.
- Lakshman Rao PV & De DN (1987) Tissue culture propagation of tree legumes, *Albizia lebbbeck* (L.). Benth. Plant Sci. 51: 263-267.
- Leroy XJ, Leon K, Charles G & Branchard M (2000) Cauliflower somatic embryogenesis and analysis of regenerant stability by ISSRs. Plant Cell Rep. 19: 1102-1107.
- Lu J, Knox MR, Ambrose MJ, Brown JKM & Ellis THN (1996) Comparative analysis of genetic diversity in pea assessed by RFLP and PCR based methods. Theor. Appl. Genet. 93: 1103-1111.
- Malik KA and Saxena PK (1992) TDZ induces high frequency shoot regeneration in intact seedlings of pea (*Pisum sativum*), chickpea (*Cicer arietinum*) and lentil (*Lens culinaris*). Aust J. Plant Physiol. 19: 731-740.
- Malik KA and Saxena PK (1992b) Regeneration in *Phaseolus vulgaris* L.: High frequency induction of direct shoot formation in intact seedlings by N⁶-benzylaminopurine and thidiazuron. Planta 186: 384-389.
- Maniatis T, Fritsch EF & Sambrook J (1982) Molecular cloning: A laboratory Manual. Cold Spring Harbor, NY: Cold Spring Laboratory.
- Mante S, Scorza R & Cordts JM (1989) Plant regeneration from cotyledons of *Prunus persica*, *P. domestica* and *P. cerasus*. Plant Cell Tiss. Org. Cult. 19:1-11.
- Mascarenhas AF, Hazra S, Potdar U, Kulkarni DK & Gupta PK (1982) Rapid clonal multiplication of mature forest trees through tissue culture. In: A Fujiwara (ed.), Proc. 5th. Intl. Cong. Plant Tissue and Cell Culture. Plant tissue culture, pp.719-720.
- Mascarenhas AF, Kendurkar SV & Khuspe SS (1983) Micropropagation of teak. In: Ahuja MR (eds), Micropropagation of woody plants. Forestry sciences. Kluwer academic publishers, Netherlands. pp 247-258.
- Mathur I & Chandra N (1983) Induced regeneration in stem explants of *Acacia nilotica*. Curr. Sci. 52: 882-883.

- Mathur J & Mukunthakumar S (1992) Micropropagation of *Bauhinia variegata* and *Parkinsonia aculeata* from nodal explants of mature trees. Plant Cell Tiss. Org. Cult. 28: 119-121.
- Matthyse AG & Gurlitz RHG (1982) Plant cell range for attachment of *Agrobacterium tumefaciens* to tissue culture cells. Physiol. Plant Pathol. 21: 381-387.
- Maxted N, Ford-Lloyd BV & Hawkes JG (1997) Complementary conservation strategies. In: Maxted, N, Ford-Lloyd BV & Hawkes JG (eds) Plant Genetic Conservation: the *in situ* approach. Chapman & Hall, London. pp 20-25.
- McClelland MT & Smith MAL (1990) Vessel type, closure and explant orientation influence *in vitro* performance of five woody species. Hort. Sci. 25: 797-800.
- McCown, BH (1988) Adventitious rooting of tissue cultured plants. In: Davis TD, Hassig BE & Sankhla N (eds) Adventitious root formation in cuttings. Dioscorides Press, Portland. pp 289-302.
- Mehta UJ, Krishnamurthy KV & Hazra S (2000) Regeneration of plants via adventitious bud formation from mature zygotic embryo axis of tamarind (*Tamarindus indica* L.). Curr. Sci. 78: 1231-1234.
- Mehta UJ, Barreto SM & Hazra S (2004) Effect of thidiazuron in germinating tamarind seedlings. In Vitro Cell Dev. Biol. Plant. 40: 279-283.
- Mehta UJ, Sahasrabudhe N & Hazra S (2005) Thidiazuron induced morphogenesis in Tamarind seedlings. In Vitro Cell Dev. Biol. Plant. 41: 240-243.
- Merkle SA & Wiecko AT (1989) Regeneration of *Robinia pseudoacacia* via somatic embryogenesis. Can. J. For. Res. 19: 285-288.
- Mhaske VB, Chengalrayan K & Hazra S (1998) Influence of osmotica and abscissic acid on triglyceride accumulation in peanut somatic embryos. Plant Cell Rep. 17: 742-746.
- Mithila J, Hall JC, Victor JMR & Saxena PK (2003) Thidiazuron induces shoot organogenesis at low concentrations and somatic embryogenesis at high concentrations on leaf and petiole explants of African violet (*Saintpaulia ionantha* Wendl.) Plant Cell Rep. 21: 408-414.
- Mittal A, Agarwal R & Gupta SC (1989) In vitro development of plantlets from axillary buds of *Acacia auriculiformis* - a leguminous tree. Plant Cell Tiss. Org. Cult. 19: 65-70.
- Monteuuis O & Bon MC (2000) Influence of auxins and darkness on *in vitro* rooting of micropropagated shoots from mature and juvenile *Acacia mangium*. Plant Cell Tiss. Org. Cult. 63: 173-177.
- Montenuis O (2004) In vitro micropropagation and rooting of *Acacia mangium* microshoots

from juvenile and mature origins. In Vitro Cell. Dev. Biol. Plant 40: 102-107.

- Moreno S, Martin JP & Ortiz JM (1998) Inter simple sequence repeats PCR for characterization of closely related grapevine germplasm. Euphytica 101: 117-125.
- Mukhopadhyay A & Mohan Ram HY (1981) Regeneration of plantlets from excised roots of *Dalbergia sissoo*. Indian J. Exp. Biol. 19: 1113-1115.
- Murashige T & Skoog F (1962) A revised medium for rapid growth and bio-assays with tobacco tissue cultures. Physiol. Plant 15: 473-497.
- Muralidhar Rao M & Laxmi Sita G (1996) Direct somatic embryogenesis from immature embryos of rosewood (*Dalbergia latifolia* Roxb.). Plant Cell Rep. 15: 355-359.
- Murch SJ & Saxena PK (2001) Molecular fate of thidiazuron and its effects on auxin transport in hypocotyls tissues of *Pelargonium x hortorum* Bailey. Plant Growth Reg. 35: 269-275.
- Murray MG & Thompson FG (1980) Rapid isolation of high molecular weight plant DNA. Nucleic Acids Res. 8: 4321-4326.
- Murthy BNS, Murch SJ and Saxena PK (1995) Thidiazuron-induced somatic embryogenesis in intact seedlings of peanut (*Arachis hypogea*): Endogenous growth regulator levels and significance of cotyledons. Plant Physiol. 94: 268-276.
- Murthy BNS, Victor J, Singh R & Saxena PK (1996) In vitro regeneration of chickpea (*Cicer arietinum* L.): Stimulation of direct organogenesis and somatic embryogenesis by TDZ. J. Plant Growth Reg. 19: 233-240.
- Murthy BNS, Murch SJ and Saxena PK (1998) Thidiazuron: a potent regulator of in vitro plant morphogenesis. In Vitro Cell Dev. Biol. Plant 34: 267-275.
- Nagmani R & Venketeswaran S (1987) Plantlet regeneration in callus cultures of *Leucaena*. In : Bonga JM and Durzan DJ (eds), Forestry Sciences. Cell and Tissue Culture in Forestry. Vol. 3. Case histories: Gymnosperms, Angiosperms and Palms, Martinus Nijhoff Publishers, Dordrecht, pp 285-291.
- Nanda RM & Rout GR (2003) In vitro somatic embryogenesis and plant regeneration in *Acacia arabica*. Plant Cell Tiss. Org. Cult. 73: 131-135.
- Nanda RM, Das P & Rout GR (2004) In vitro clonal propagation of *Acaia mangium* Willd. and its evaluation of genetic stability through RAPD marker. Ann. For. Sci. 61: 381-386.

- Nandwani D (1995) *In vitro* micropropagation of a tree legume adapted to arid lands *Acacia tortilis* subsp *raddiana*. Ann. Sci. For. 52: 183-189.
- Nataraja K & Sudhadevi AM (1984) *In vitro* induction of plants from seedling explants of subabul (*Leucaena leucocephala* Lamk.) Indian J. Plant. Physiol. 27: 255-258.
- Neves LO, Tomaz L & Fevereiro MPS (2001) Micropropagation of *Medicago truncatula* Gaertn.cv. Jemalong and *M.truncatula* ssp. *Narbonensis*. Plant Cell Tiss. Org. Cult. 67: 81-84.
- Newbury & Ford-Lloyd (1997) Estimation of genetic diversity. In: Maxted N, Ford-Lloyd BV & Hawkes JG (eds) Plant Genetic Conservation: the *in situ* approach. Chapman and Hall, London. pp 192-206.
- Newton AC, Allnutt TR, Gillies ACM, Lowe AJ & Ennos RA (1999) Molecular phylogeography, intraspecific variation and the conservation of tree species. Trees 14: 140-145.
- Niedz RP (1998) Using Isothiozalone biocides to control microbial and fungal contaminants in plant tissue culture. Hort. Tech. 8:598-601.
- Owen HR, Wengard D & Miller AR (1991) Culture medium pH is influenced by basal medium, carbohydrate source, gelling agent, activated charcoal, and medium storage method. Plant cell Rep. 10:583-586.
- Ozean S, Sevimary CS, Vildiz M, Sanak C & Ozgen (1996) Prolific shoot proliferation from immature embryo explants of sainfoin (*Onobryhis viciaefolia* Scop.) Plant Cell Rep. 16: 3-4.
- Panse VG, Sukhatme PV (1967) Statistical Analysis for Agricultural Workers- ICAR, New Delhi.
- Parmar BS & Dutta S (1987) Evaluation of some NE-oils as malathion synergists Intern. J. Trop. Agric. 5: 223-226.
- Parrott WA, Bailey MA, Durham RE & Mathews HV (1992) Tissue Culture and regeneration in legumes. In: Moss JP (eds) Biotechnology and crop improvement in Asia Patancheru, A.P. 502324. India: International Crops Research Institute for the Semi-Arid Tropics, pp 115-148.

- Pattnaik S & Chand PK (1997) Rapid clonal propagation of three mulberries, *Morus cathayana* Hemsl., *M. Ihou* Koiz. and *M. serrata* Roxb., through *in vitro* culture of apical shoot buds and nodal explants from mature trees. *Plant Cell Tiss. Org. Cult.* 16: 503-508.
- Pattnaik S, Pradhan C, Naik SK & Chand PK (2000) Shoot organogenesis and plantlet formation from hypocotyl-derived cell suspensions of a tree legume, *Dalbergia sissoo* Roxb. *In Vitro Cell Dev. Biol. Plant.* 36(5): 407-411.
- Paulsamy S, Vijayakumar KK & Ganesh Ram (2007) Genetic variations and degree of correlation in four ecological variants of *Gaultheria fragrantissima* Wallich in nilgiri biosphere reserve, Western Ghats, India. *African J. Biotechnol.* 6: 501-503.
- Pellegrineschi A & Tepfer D (1993) Micropropagation and plant regeneration in *Sesbania rostrata*. *Plant Sci.* 88: 113-119.
- Phillips GC (2004) *In Vitro* morphogenesis in plants- Recent advances. *In Vitro Cell. Dev. Biol. Plant* 40: 342-345.
- Pierik RLM (1987) *In vitro* culture of higher plants. Martinus Nijhoff, Dordrecht.
- Pollegioni P, Bartoli, Cannata F & Malvolti (2003) Genetic differentiation of four Italian walnut varieties (*Juglans regia* L.) by inter simple sequence repeat (ISSR). *J. Genet. & Breed.* 57: 231-240.
- Potter D, Gao F, Aiello, G Leslie C & McGranahan G (2002) Intersimple sequence repeat markers for fingerprinting and determining genetic relationships of Walnut (*Juglas regia*) cultivars. *J. Amer. Soc. Hort. Sci.* 127: 75-81.
- Pradhan C, Pattnaik S, Dwari M, Pattnaik SN & Chand PK (1998) Efficient plant regeneration from cell suspension-derived callus of East Indian rosewood (*Dalbergia latifolia* Roxb.). *Plant Cell Rep.* 18: 138-142.
- Preece JE and Imel MR (1991) Plant regeneration from leaf explants of *Rhododendron* 'P.J.M. hybrids'. *Sci. Hortic.* 48: 59-170.
- Raghava Swamy BV, Himabindu K & Lakshmi Sita G (1992) *In vitro* micropropagation of elite rosewood *Dalbergia latifolia* Roxb. *Plant Cell Rep.* 11: 126-131.
- Rahman SM, Hossain M, Biswas BK, Joarder OI & Islam R (1993) Micropropagation of *Caesalpinia pulcherrima* through nodal bud culture of mature tree. *Plant Cell Tiss. Org. Cult.* 32: 363-365.
- Raj SK, Singh R, Pandey SK & Singh Bp (2005) *Agrobacterium*-mediated tomato transformation and regeneration of a transgenic lines expressing *Tomato leaf curl virus* coat protein gene for resistance against TLCV infection. *Curr. Sci.* 88: 1674-1679.

- Rajesh PN, Sant VP, Gupta VS, Muelbauer FJ & Ranjekar P (2003) genetic relationships among annual and perennial wild species of Cicer using inter simple sequence repeat (ISSR) polymorphism. *Euphytica* 129: 15-23.
- Ranga Rao GV & Prasad MNV (1991) Plantlet regeneration from the hypocotyl callus of *Acacia auriculiformis*- multipurpose tree legume. *J. Plant. Physiol.* 137: 625-627.
- Rani V & Raina SN (2000) Genetic fidelity of organized meristem-derived micropropagated plants: A Critical Reappraisal. *In Vitro Cell Dev. Biol.Plant.* 36: 319-330.
- Rao KS (1986) Plantlets from somatic callus tissue of the East Indian rosewood (*Dalbergia latifolia* Roxb.). *Plant Cell Rep.* 5: 199-201.
- Ratnaparkhe MB, Tekeoglu M & Muelbauer FJ (1998) Inter simple sequence repeat (ISSR) polymorphisms are useful for finding markers associated with disease resistance gene clusters. *Theor. Appl. Genet.* 97: 515-519.
- Ravishankar Rai V & Jagdish Chandra KS (1988) In vitro regeneration of plantlets from shoot callus of mature trees of *Dalbergia latifolia*. *Plant Cell Tiss. Org. Cult.* 13: 77-83.
- Ravishankar Rai V & Jagadish Chandra KS (1989) Micropropagation of East Indian Rosewood by tissue culture. *Ann. Bot.* 64 : 43-46.
- Reddy PM, Sarla N & Siddiq EA (2002) Inter simple sequence repeat polymorphism and its application in plant breeding. *Euphytica.* 128: 9-17.
- Rodriguez APM & Vendrame WA (2003) Micropropagation of Tropical Woody Species. In: Jain SM & Ishii K (eds) *Micropropagation of Woody Trees and Fruits*. Kluwer Academic Publishers, Dordrecht, Netherlands. pp 153-179.
- Romano A, Barros S & Martins-Loução (2002) Micropropagation of the Mediterranean tree *Ceratonia siliqua*. *Plant Cell Tiss. Org. Cult.* 68: 35-41.
- Rongwen J, Akkaya MS, Bhagwat AA, Lavi U & Cregan P (1995) The use of microsatellite DNA markers for soyabean genotype identification. *Theor. Appl. Genet.* 90: 43-48.
- Rost TL, Hinchey MAW (1980) Preliminary report of the production of callus, organogenesis and regeneration of Jojoba (*Simmondsia chinensis* Link, Scheneid) in tissue culture. *J. Hort. Sci* 55:299-305.
- Rouland H (1973) The effect of cyclophysis and topophysis on the rooting ability of Norway spruce cuttings. *For. Tree Improv.* 5:21-41.
- Rout GR, Samantaray S & Das P (1995) Somatic embryogenesis and plant regeneration from callus culture of *Acacia catechu* - a multipurpose tree. *Plant Cell Tiss. Org. Cult.* 42: 283-285.
- Saafi H, Borthakur D (2002) *In vitro* regeneration from cotyledons of the tree-legume *Leucaena leucocephala*. *Plant Growth Reg.* 38 (3): 279-285.

- Saito Y, Kojima K, Ide Y & Sasaki S (1993) *In vitro* propagation of axillary buds of *Acacia mangium*, a legume in the tropics. *Shokubutsu Soshiki Baiy.* 10: 163-168.
- Sanchez MC, San-Jose MC, Ballester and Vieitez AM (1996) Requirements for *in vitro* rooting of *Quercus robur* and *Q. rubra* shoots derived from mature trees. *Tree Physiology* 16: 673-680.
- Sandeepkumar, Sarkar AK & Kunhikannan (1998) Regeneration of plants from leaflet explants of tissue culture raised safed siris (*Albizia procera*). *Plant Cell Tiss. Org. Cult.* 54: 137-143.
- Sankhla D, Davis TD & Sankhla N (1994) Thidiazuron-induced *in vitro* shoot formation from roots of intact seedlings of *Albizzia julibrissin*. *Plant Growth Regul.* 14: 267-272.
- Sankhla D, Davis TD & Sankhla N (1996) *In vitro* regeneration of silktree (*Albizzia julibrissin*) from excised roots. *Plant Cell Tiss. Org. Cult.* 44: 83-86.
- Sapounteakis G & Tsaflaris AS (2002) *In vitro* regeneration and genetic transformation of parthenocarpic Cucumber hybrids. *Acta Hort.* 579:77-82.
- Sarita Patri, Bhatnagar SP & Bhojwani SS (1988) Preliminary investigations of micropropagation of a leguminous timber tree, *Pterocarpus santalinus*. *Phytomorphol.* 38: 41-45.
- Schenk RU & Hilderbrand AC (1972) Medium and techniques for induction and growth of monocotyledonous and dicotyledonous plant cell cultures. *Can. J. Bot.* 50: 199-204.
- Sebastian KT & McComb JA (1986) A micropropagation method for carob (*Ceratonia siliqua* L.). *Sci. Hort.* 28: 127-131.
- Sharma S & Chandra N (1988) Organogenesis and plantlet formation in *Dalbergia sissoo* Roxb. *J. Plant. Physiol.* 132: 145-147.
- Sharma SK & Ramamurthy V (2000) Micropropagation of 4-year-old elite *Eucalyptus tereticornis* tree. *Plant Cell Rep.* 19:511-518.
- Shahana S & Gupta SC (2002) Somatic embryogenesis in *Sesbania sesban* var. bicolor: A multi purpose fabaceous woody species. *Plant Cell Tiss. Org. Cult.* 69: 289-292.
- Shankar S & Mohan Ram HY (1990) Plantlet regeneration from tissue culture of *Sesbania grandiflora*. *Curr. Sci.* 59: 39-43.
- Shashikumar, Agrawal V & Gupta SC (2002) Somatic embryogenesis in the woody legume *Calliandra tweedii*. *Plant Cell Tiss. Org. Cult.* 71: 77-80.

- Shekhawat NS, Rathore TS, Singh RP, Deora NS & Rao SR (1993) Factors affecting in vitro clonal propagation of *Prosopis cineraria*. Plant Growth Reg. 12: 273-280.
- Shende S & Rai M (2005) Multiple shoot formation and plant regeneration of a commercially-useful tropical plant, *Buchanania lanzan* (Sprang)
- Schlotterer C & Tautz D (1992) Slippage synthesis of simple sequence DNA. Nucl. Acids Res. 20: 211-215.
- Singh HP, Singh S, Saxena RP, Singh RK (1993) *In vitro* bud break in axillary nodal segments of mature trees of *Acacia nilotica*. Ind. J. Plant Physiol. 36: 21-24.
- Singh ND, Sahoo L, Sarin NB, Jaiwal PK (2003) The effect of TDZ on organogenesis and somatic embryogenesis in pigeonpea (*Cajanus cajan* L. Millsp). Plant Sci. 164: 341-347.
- Singh AK & chand S (2003) Somatic embryogenesis and plant regeneration from cotyledon explants of a timber yielding leguminous tree, *Dalbergia sissoo*. J. Plant Physiol. 160: 415-421.
- Sinha RK & Mallick R (1993) Regeneration and multiplication of shoot in *Albizia falcataria*. Plant Cell Tiss. Org. Cult. 32: 259-261.
- Skolmen RG (1986) *Acacia* (*Acacia koa* Gray). In: Bajaj YPS (eds) Biotechnology in Agriculture and Forestry. Vol.1.Trees I. Springer-Verlag Publishers, Berlin, pp 375-384.
- Skolmen RG & Mapes MO (1976) *Acacia koa* Gray plantlets from somatic callus tissues. J. Hered. 67: 114-115.
- Skoog F & Miller CO (1957) Chemical regulations of growth and organ formation in plant tissue cultured *in vitro*. Symposium of the Soc. Exp. Biol. 11:118-140.
- Somers DA, Samac DA & Olfort PM (2003) Recent advances in Legume transformation. Plant Phy. 131: 892-899.
- Sonia, Jaiwal PK, Gulati A & Dahiya S (1998) Direct organogenesis in hypocotyl cultures of *Tamarindus indica*. Biol. Plant. 41: 331-337.
- Splittstoesser WE & Mohamed-Yasseen Y (1991) *In vitro* shoot regeneration of tamarind (*Tamarindus indica*) and carob (*Ceratonia siliqua*) with TDZ. Proc. Inter Amer. Soc. Trop. Hort. 35: 6-8.
- Srivatanakul M, Park SH, Sanders JR, Salas MG & Smith RH (2000) Multiple shoot regeneration of Kenaf (*Hibiscus cannabinus* L.) from a shoot apex culture system. Plant Cell Rep. 19:1165-1170.

- Sudhadevi AM & Nataraja K (1987a) Establishment of plantlets in hypocotyl cultures of *Dalbergia latifolia* Roxb. Indian J. For. 10: 1-6.
- Sudhadevi AM & Nataraja K (1987b) *In vitro* regeneration and establishment of plantlets in stem cultures of *Dalbergia latifolia* Roxb. Indian Forester, 113: 501-506.
- Sujatha K & Hazra S (2006) *In Vitro* regeneration of *Pongamia pinnata*. Pierre. J. Plant Biotechnol. 33: 263-270.
- Sujatha K & Hazra S (2007) Micropropagation of mature *Pongamia pinnata*. Pierre. In Vitro Cell. Dev. Biol. Plant (in press)
- Tajamul Islam, Ekta Sharma, Hamid Bakshi (2010) “Assessment of anti-bacterial potential of leaves of *Ricinus communis* against dermatophytic and pathogenic bacteria”. International journal of Pharma Research and Development; Vol. 1; 12: 1-7.
- Tajamul Islam, Hamid Bakshi, Manik Sharma (2011). Assessment of cytotoxic potential of aqueous extract of *Ricinus communis* leaves against human melanoma cancer cell lines (A375)’. Inventi Rapid Ethno Pharmacology. Vol. 2(2).
- Tajamul Islam, Hamid Bakshi, Jagreti Trepethi, Zia-ul-Hassan, Manik Sharma (2011). “In vitro anti-oxidant activity of aqueous extract of *Ricinus communis* leaves”. Inventi Rapid Ethno Pharmacology. Vol. 2(2).
- Tanhuanpà P & Schulaman A (2002) Mapping of genes affecting linolenic acid content in *Brassica rapa* ssp. *Oleifera*. Mol. Breeding 10: 51-62.
- Thangjam R, Singh MR (2006) Induction of callus and somatic embryogenesis from cotyledonary explants of *Parkia timoriana* (DC.) merr. a multipurpose tree legume. J. food agri. & environment 4: 335-339.
- Thakur RC, Hosoi Y & Ishii K (1998) Rapid *in vitro* propagation of *Matteucci struthiopteris* (L.) Todaro - an edible fern. Plant Cell Rep. 18: 203-208.
- Thom TA, Maretzki E & Sakai HS (1981) Nutrient uptake and accumulation by sugarcane cell culture in relation to growth cycle. Plant Cell Tiss. Org. Cult. 1: 3-4.
- Thomas V & Mehta AR (1983) Effect of phloroglucinol on shoot growth and initiation of roots in carob tree cultures grown in vitro. In : Sen SK & Giles KL (eds) Plant Cell Culture in Crop Improvement. Plenum Press, New York. pp 451-457.
- Thorpe TA (1995) In: Thorpe TA (eds) *In Vitro* Embryogenesis in Plants. Kluwer Academic Publishers, Dordrecht. pp 17-72.
- Thorpe TA & Patel KR (1984) Clonal Propagation: Adventitious buds. In: Vasil IK (eds) Cell culture and somatic cell Genetics of Plants. Vol. 1. pp. 49 – 60.
- Thorpe TA (1988) In: Atlas of Science-Animal and Plant Sci., pp. 81-88.

- Tivarekar S & Eapen S (2001) High frequency plant regeneration from immature cotyledons of mungbean. . Plant Cell Tiss. Org. Cult. 66: 227-230
- Trigiano RN, Geneve RL & Merkle SA (1992) Tissue and cell culture of woody legumes. Hort. Rev. 14: 265-331.
- Trigiano RN, Beaty RM & Graham ET (1988) Somatic embryogenesis from immature embryos of redbud (*Cercis canadensis*). Plant Cell Rep. 7: 148-150.
- Trigiano RN, Buckley LG & Merkle SA (1999) Somatic Embryogenesis in woody legumes. In: Jain SM, Gupta PK & Newton RJ (eds) Somatic Embryogenesis in woody plants Kluwer Academic Publishers. Dordrecht. pp 387-401.
- Tulecke W (1987) Somatic embryogenesis in woody Perennial. In: Bonga JM and Durzan DJ (eds.), Cell and Tissue Culture in Forestry. Vol.2, Specific Principles and Methods: Growth and Developments, Martinus Nijhoff Publishers, Dordrecht, pp. 61-91.
- Tzfira T, Zuker A & Altman A (1998) Forest Tree Biotechnology. Genetic transformation and its application to future forests. Trends. Biotechnol. 16: 439-446.
- Uddin MS, Nasirujjaman K, Zaman S & Reza MA (2005) Regeneration of multiple shoots from different explants viz. shoot tip, nodal segment and cotyledonary node of in vitro grown seedlings of *Peltaphorum pterocarpum* (DC) Backer ex K. Heyne. Biotechnol. 4(1): 35-38.
- Upadhyaya S & Chandra N (1983) Shoot and plantlet formation in organ and callus cultures of *Albizzia lebbek* Benth. Ann Bot. 52: 421-424.
- Upreti J & Dhar U (1996) Micropropagation of *Bauhinia vahlii*. Wight & Arnott – a leguminous liana. Plant Cell Rep. 16: 250-254.
- Vlachova M, Metz B, Schell J & deBroijn F (1987) The tropical legume *Sesbania rostrata*: tissue culture, plant regeneration and infection with *Agrobacterium tumefaciens* and *rhizogenes* strains. Plant Sci. 50: 213-223.
- Varghese TM & Kaur A (1988) *In vitro* propagation of *Albizzia lebbeck* Benth. Curr. Sci. 57: 1010- 1012.
- Vengadesan G, Ganapathi A, Prem Anand R & Ramesh Anbazhagan V (2000) In vitro organogenesis and plant formation in *Acacia sinuata*. Plant Cell Tiss. Org.Cult. 61: 23-28.
- Vengadesan G, Ganapathi A, Amutha S & Selvaraj N (2002) In vitro propagation of *Acacia* species- a review. Plant Sci. 163: 663-671.
- Vengadesan G (2003) High frequency plant regeneration from cotyledon callus of *Acacia sinuata* (houe) Merr. In Vitro Cell Dev. Biol. Plant 39(6):28-33

- Vijayan K & Chatterjee SN(2003) ISSR profiling of indian cultivars of mulberry (*Morus* spp.) and its relevance to breeding programs. *Euphytica* 131: 53-63.
- Villarreal ML & Rojas G (1996) In vitro propagation of *Mimosa tenuiflora* (Willd.) Poiret, a Mexican medicinal tree. *Plant Cell Rep.* 16: 80-82.
- Victor JMR, Murthy BNS, Murch SJ, Krishnaraj S & Saxena PK (1999) Role of endogenous purine metabolism in thidiazuron induced somatic embryogenesis of peanut (*Arachis hypogaea* L.) *Plant Growth Regul.* 28: 41-47.
- Weaver LA & Trigiano R N (1991) Regeneration of *Cladrastis lutea* (Fabaceae) via somatic embryogenesis. *Plant Cell Rep.* 10: 183-186.
- Wetzstein HY, Ault JR and Merkle SA (1989) Further characterization of somatic embryogenesis and plantlet regeneration in Pecan (*Carya illinoensis*). *Plant Sci.* 64: 193-201.
- Williams EG & Maheswaran G (1986) Somatic embryogenesis: factors influencing coordinated behaviour of cells as an embryogenic group. *Ann. of Bot.* 57: 443-462.
- Xie DY & Hong Y (2001) Regeneration of *Acacia mangium* through somatic embryogenesis. *Plant Cell Rep.* 20: 34-40.
- Xie DY & Hong Y (2002) *Agrobacterium* mediated genetic transformation of *Acacia mangium*. *Plant Cell Rep.* 20: 917-922.
- Yang J, Guo GQ & Zheng GC (2001) In vitro plant regeneration from cotyledon explants of *Swainsona salsula*. *Taubert. Plant Cell Tiss. Org. Cult.* 66: 35-39.
- Yang M, Xie X, He Z & Zhang F (2006) Plant regeneration from phyllode explants of *Acacia crassiparva* via organogenesis. *Plant Cell Tiss. Org. Cult.* 85: 241-245.
- Zhao YX, Yao DY & Harris PJC (1990) *In vitro* regeneration of plantlets from explants and callus of *Acacia salicina*. *Nitrogen Fixing Tree Res. Rep.* 8: 113-115.